

Optix 10 Pivot Door with Inline Panel

Manufactured to: BS EN 14428



IMPORTANT

BEFORE STARTING THE INSTALLATION ENSURE ALL THE DOOR SIZE MEASUREMENTS CORRESPOND WITH THE INSTALLATION AREA INCLUDING THE FINISHED TILED/PANELLED WALLS.
RETURNS DUE TO INCORRECT SIZING WILL NOT BE ACCEPTED.

OXPDxC0800 52Kgs
OXPDxC0900 57Kgs
OXPDxC1000 62Kgs
OXPDxC1200 72Kgs
OXPDxC1400 82Kgs





OXPDSPxC0800 46Kgs
OXPDSPxC0900 51Kgs



Optix 10 Pivot Door with Inline Panel

Optix 10 Side Panel Pivot & Inline



INSTALLATION INSTRUCTIONS

crosswater[®]
SHOWERING

IMPORTANT - Please read before installation

Please read these instructions carefully before starting installation and keep in a safe place for future reference.

Check the contents of the pack carefully before installation. Crosswater will not be held responsible for any de-fit / re-fit costs where faulty product has been fitted.

If any fault is found with materials or workmanship, it must be reported immediately to the manufacturer. Remedial action will be taken, based on information received, on condition that:


1. Full details are supplied to the manufacturer;
2. The enclosure has not been modified or tampered with;
3. The manufacturer is informed of any damage/shortages prior to installation.

We do not accept responsibility for any problems that may occur through incorrect installation.

The success of the installation and operation of any shower enclosure is, of course, dependant on the squareness, alignment and construction of the walls to which fixing is to be carried out.

VERY IMPORTANT

You must complete all tiling and grouting, and the shower tray **MUST** be level and fully sealed to the tiles before installation. If you do not fit the enclosure onto a tiled surface, or seal the tiles to the tray before installation, water may soak into the wall behind the wall profiles.



INSTALLATION - Advise and safety

The installation instructions are based on typical use and conditions.

All doors are designed to open outwards only.

These hints have been prepared for your guidance, you must exercise due care at all times.

For Health and Safety 2 people must carry out the installation of this enclosure.

Handle glass with care. Although the glass supplied is toughened safety glass (**EN12150**), impacts can damage both the glass and the frame.

Warning!

Please check for any hidden pipes or cables before drilling holes in the wall.

When using power tools always follow the manufacturers user instructions.

If the Framework is sealed to the tray on the inside, any water that may get into the framework will not be able to drain back into the tray, this may cause the enclosure to leak.

Leave the silicone sealant to dry for 24 hours before using the enclosure.


CARE AND CLEANING

Do not use solvents or abrasive material or chemicals to clean the enclosure.


Only clean using soapy water and soft cloth, rinse thoroughly afterwards.

INSTALLATION - Left and Right hand


This product is reversible for left or right hand opening. Please follow the diagram, and detail below for your choice of installation.




LH



RH




LH




























RH






Optix 10 Pivot Door with Inline Panel





Optix 10 Side Panel Pivot & Inline





Installation tool







Torque screwdriver



Ø 6.5





Left or Right hand installation



Step A1

A4







Inside

Code	A(mm)
OXPDSC0800	760-785
OXPDSC0900	860-885
OXPDSC1000	960-985
OXPDSC1200	1160-1185
OXPDSC1400	1360-1385
OXPDFC0800	760-785
OXPDFC0900	860-885
OXPDFC1000	960-985
OXPDFC1200	1160-1185
OXPDFC1400	1360-1385
OXPDVC0800	760-785
OXPDVC0900	860-885
OXPDVC1000	960-985
OXPDVC1200	1160-1185
OXPDVC1400	1360-1385


Step A2





x4





A9













A

4


Step A3




Step A4








Step A5





Step A6




Step A7




Step A8




Step A9




Step A10




Step A11




Step A12







Step A13







Step A14







Step A15










Step A16







Step A17






Step A18



Step A19



Step A20



Step B1

Code	A(mm)
OXPDSPSC0800	775-795
OXPDSPSC0900	875-895
OXPDSPFC0800	775-795
OXPDSPFC0900	875-895
OXPDSPVC0800	775-795
OXPDSPVC0900	875-895

Code	B(mm)
OXPDSC0800	770-795
OXPDSC0900	870-895
OXPDSC1000	970-995
OXPDSC1200	1170-1195
OXPDSC1400	1370-1395
OXPDFC0800	770-795
OXPDFC0900	870-895
OXPDFC1000	970-995
OXPDFC1200	1170-1195
OXPDFC1400	1370-1395
OXPDVC0800	770-795
OXPDVC0900	870-895
OXPDVC1000	970-995
OXPDVC1200	1170-1195
OXPDVC1400	1370-1395

B2


Step B2

Ø 6.5x4


x4

B7 x4





Step B3








Step B4







Step B5





Step B6



Step B7



Step B8



crosswater^x
SHOWERING

For any further information please contact Crosswater
Phone number, 0345 873 8840

Website, www.crosswater.co.uk

Email address, sales@crosswater.co.uk

The manufacturer reserves the right to make technical
modifications without prior notice.