

PRODUCT DATA SHEET



PRODUCT CODE
FS2000RF

RANGE
Fuse

DESCRIPTION
Fuse 2 Outlet 3 Handle Portrait Valve & Trimset Brushed Brass

WEBSITE LINK [Click Here](#)



CATEGORY	Brassware
WARRANTY DETAILS	15 Years
COLOUR	Brushed Brass
FINISH APPLICATION	PVD
PRIMARY MATERIAL	Brass
SECONDARY MATERIAL	Plastic
INSTALL TYPE	Wall Mounted
PRODUCT WIDTH MM	120
PRODUCT HEIGHT MM	280
PRODUCT LENGTH MM	138
PRODUCT NET WEIGHT KG	3
MINIMUM PRESSURE (BAR)	0.5
MAX WORKING PRESSURE (BAR)	5


STANDARDS	BS EN 1111:2017
NUMBER OF OUTLETS	2
NUMBER OF FUNCTIONS	2
HEADWORK	Thermostatic cartridge, 3/4" Quarter turn ceramic cartridge
SWIVEL SPOUT	No
INLET CONNECTIONS THREAD	G3/4"
OUTLET CONNECTIONS THREAD	G3/4"
WASTE INCLUDED	No
ANTI-SCALD	No
ENERGY SAVING	No

PRESSURE (BAR)	0.2	0.5	1	2	3	4	5
PRIMARY FLOWRATE		11.56	15.8	22.71	27.81	32.05	
HANDSET FLOWRATE							
MASSAGE FLOW RATE							
AIR FLOW RATE							
WIRE FLOW RATE							
WATERFALL FLOW RATE							
MIST FLOW RATE							
HANDSPRAY FLOW RATE							

TECHNICAL DIMENSIONS


Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



SPARES LIST

Only the parts labelled are available as spares.



NUMBER	PART CODE	DESCRIPTION
1	SP1915C	On/Off Collar For Hoxton, Drift & Fuse Valves Chrome
	SP1915F	On/Off Collar For Hoxton, Drift & Fuse Valves Brushed Brass
	SP1915M	On/Off Collar For Hoxton, Drift & Fuse Valves Matt Black
2	SP1914C	Thermo Collar For Hoxton, Drift & Fuse Valves Chrome
	SP1914F	Thermo Collar For Hoxton, Drift & Fuse Valves Brushed Brass
	SP1914M	Thermo Collar For Hoxton, Drift & Fuse Valves Matt Black
3	SP314	VQT1 temperature control cartridge
4	SP315	SP315 Hent F2 flow control cartridge
5	SL0113P_09	Drift & Fuse 3 Hole Backplate Chrome
	SL0113P_11	Drift & Fuse 3 Hole Backplate Brushed Brass
	SL0113P_10	Drift & Fuse 3 Hole Backplate Matt Black
6	SL0318P1_59	Fuse Shower Valve Handle Chrome
	SL0318P1_61	Fuse Shower Valve Handle Brushed Brass
	SL0318P1_60	Fuse Shower Valve Handle Matt Black