

# PRODUCT DATA SHEET



PRODUCT CODE  
TS112DNS

RANGE  
3ONE6

DESCRIPTION  
3ONE6 Tall Basin Mono Stainless

WEBSITE LINK [Click Here](#)

|                            |                     |
|----------------------------|---------------------|
| CATEGORY                   | Brassware           |
| WARRANTY DETAILS           | 15 Years            |
| COLOUR                     | Stainless Steel     |
| FINISH APPLICATION         | Raw/Natural         |
| PRIMARY MATERIAL           | 316 Stainless Steel |
| INSTALL TYPE               | Deck Mounted        |
| PRODUCT WIDTH MM           | 45                  |
| PRODUCT HEIGHT MM          | 311                 |
| PRODUCT DEPTH MM           | 219                 |
| PRODUCT NET WEIGHT KG      | 1.45                |
| MINIMUM PRESSURE (BAR)     | 1                   |
| MAX WORKING PRESSURE (BAR) | 5                   |




|                           |                                     |
|---------------------------|-------------------------------------|
| STANDARDS                 | BS EN 817:2008                      |
| APPROVAL                  | KIWA - 2309737                      |
| NUMBER OF OUTLETS         | 1                                   |
| NUMBER OF FUNCTIONS       | 1                                   |
| HEADWORK                  | 25mm Single lever ceramic cartridge |
| SPOUT PROJECTION          | 190                                 |
| SWIVEL SPOUT              | No                                  |
| INLET CONNECTIONS THREAD  | G1/2"                               |
| OUTLET CONNECTIONS THREAD | M16.5x1                             |
| FLOW REGULATOR            | Cache M16.5x1                       |
| WASTE INCLUDED            | No                                  |
| ANTI-SCALD PROTECTION     | No                                  |
| ENERGY SAVING             | No                                  |

|                     |     |     |      |      |      |      |      |
|---------------------|-----|-----|------|------|------|------|------|
| PRESSURE (BAR)      | 0.2 | 0.5 | 1    | 2    | 3    | 4    | 5    |
| PRIMARY FLOWRATE    |     |     | 3.05 | 4.58 | 5.45 | 5.99 | 5.61 |
| HANDSET FLOWRATE    |     |     |      |      |      |      |      |
| MASSAGE FLOW RATE   |     |     |      |      |      |      |      |
| AIR FLOW RATE       |     |     |      |      |      |      |      |
| WIRE FLOW RATE      |     |     |      |      |      |      |      |
| WATERFALL FLOW RATE |     |     |      |      |      |      |      |
| MIST FLOW RATE      |     |     |      |      |      |      |      |
| HANDSPRAY FLOW RATE |     |     |      |      |      |      |      |

## TECHNICAL DIMENSIONS


Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.



| NUMBER | PART CODE    | DESCRIPTION                     |
|--------|--------------|---------------------------------|
| 1      | B19002200-YY | Glide & 3ONE6 112 Flexible Hose |
| 2      | A060111000   | TS110_112DNS Base Ring          |
|        | A060111000   | TS110/112DNSF Base Ring         |
|        | A060111002   | TS110/112DNST Base Ring         |
| 3      | A060110700   | TS110_112DNS Cartridge          |
| 4      | A060110800   | 3ONE6 Basin Aerator             |
| 5      | B14001400    | TS112DNS/F/T Fixing Kit         |
| 6      | A060110300   | TS110_112DNS Lever              |
|        | A060110302   | TS110/112DNST Lever             |
|        | A060110301   | TS110/112DNSF Lever             |