

PRODUCT DATA SHEET



PRODUCT CODE
WLBP2000R

RANGE
Thermo SV

DESCRIPTION
2 Outlet Valve Body With No Collars

WEBSITE LINK [Click Here](#)

CATEGORY	Brassware
WARRANTY DETAILS	15 Years
PRIMARY MATERIAL	Brass
INSTALL TYPE	Wall Mounted
PRODUCT WIDTH MM	82
PRODUCT HEIGHT MM	244
PRODUCT LENGTH MM	240
PRODUCT NET WEIGHT KG	2.16
MINIMUM PRESSURE (BAR)	0.5
MAX WORKING PRESSURE (BAR)	5

STANDARDS	BS EN 1111:2017
APPROVAL	WRAS - 2203300 KIWA 2201704 TMV 2203756
NUMBER OF OUTLETS	2
NUMBER OF FUNCTIONS	2
HEADWORK	Diverter and Thermostatic Cartridge
SWIVEL SPOUT	No
INLET CONNECTIONS THREAD	G3/4"
OUTLET CONNECTIONS THREAD	G3/4"
WASTE INCLUDED	No
ANTI-SCALD	Yes
ENERGY SAVING	No

PRESSURE (BAR)	0.2	0.5	1	2	3	4	5
PRIMARY FLOWRATE		16.66	25.87	35.59	46.59		56.14
HANDSET FLOWRATE							
MASSAGE FLOW RATE							
AIR FLOW RATE							
WIRE FLOW RATE							
WATERFALL FLOW RATE							
MIST FLOW RATE							
HANDSPRAY FLOW RATE							

TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



SPARES LIST

Only the parts labelled are available as spares.

NUMBER	PART CODE	DESCRIPTION
1	SC50-T20	Thermostatic Cartridge with T20 Spind (Brown)
2	CA43-102	WLBP+ & EV Valve Thermostat Cartridge (Current)
3	X2A044N_1	3000 Diverter Cartridge (New)
4	Z0A363N	Non Return Valve (New) From WL1000RC
5	Z00717N	Non Return Valve Filter Washer